

H3c40km optical module



Overview

The 100GBASE-ER4 transceiver is an Ethernet specification, which is designed to provide a 100 Gbit/s connection over an optical fiber with a distance of up to 40km. This optical module also comes with DDM functionality, which provides real-time monitoring and diagnostics. H3C Networks compatible 100GBASE-4WDM-40 QSFP28 transceiver supports up to 40km link lengths over LC duplex SMF fibre. This transceiver is compliant with SFF-8661, SFF-8636 and IEEE 802. Digital diagnostics monitoring is available via a 4-wire serial interface, as specified in. Optical modules transmit signals over optical fibers. Optical transmission features low loss and is fit for long distance transmission. NADDOD SFP+ transceiver can help customers save more than 60% of the cost while ensuring first-class product quality depending on our top-class channel. 100G-CFP2-ER4-40KM-WDM1300 100GBASE-ER4 CFP2 transceiver with LC Duplex connection according to MSA standards compatible with H3C from the BlueOptics brand. The module converts 4 inputs channels (ch) of 10Gb/s electrical data to 4 CWDM optical signals, and multiplexes them into a single channel for 40Gb/s.



Article Content

HPE (H3C) 10GBase-ER SFP+ Compatible Transceiver 10G Module

GET brand new HPE (H3C) 10GBase-ER Compatible optical transceiver whit wholesale price at 10Gtek Store, 10G SFP+ (DOM, BiDi 40km SMF Single LC) modules online sale.

QSFP-40G-LR4-WDM1300

The H3C QSFP-40G-LR4-WDM1300 QSFP+ Optical Transceiver Module is designed for use in 40GBASE Ethernet throughput up to 10km over single mode

How To Turn Off Alarms For Third-Party Modules On H3C Switches

By default, a large number of alarm messages will be generated if the module is verified as non-H3C original. H3C provides CLI commands to suppress these optical module alarm

SFP-XG-LH40-SM1550-D

This H3C SFP-XG-LH40-SM1550-D is a high performance and cost effective SFP+ transceiver module supporting data-rate of 10.3125Gbps (10GBASE-ER) or

JL306A HPE H3C Compatible 40GBASE-ER4 QSFP+ 1310nm 40km

JL306A HPE H3C Compatible 40GBASE-ER4 QSFP+ Optical Transceiver Module (SMF, 1310nm, 40km, LC, DOM) The QSFP+ Module is designed for use in 40GBASE Ethernet throughput up to

H3C 40G QSFP+ QSFP-40G-SR4-MM850 Transceiver Module

H3C QSFP-40G-SR4-MM850 Compatible 40GBASE-SR4 QSFP+ Optical Transceiver Module (MMF, 850nm, 150m, MTP/MPO, DOM) The QSFP+ module adopts 12 Fibers MTP/MPO Male connectors,

For H3C Huasan QSFP-40-CSR4-MM850 40G Gigabit Multimode

Buy For H3C Huasan QSFP-40-CSR4-MM850 40G Gigabit Multimode 0231A2KL Optical Module with fast shipping and top-rated customer service. Once you know, you Newegg!

H3C 40G QSFP+ QSFP-40G-ER4-SM1310 Transceiver

H3C QSFP-40G-ER4-SM1310 Compatible 40GBASE-ER4 QSFP+ Optical Transceiver Module (SMF, 1310nm, 40km, LC, DOM) The QSFP+ module is

H3C QSFP+ 40G ZR4 Lite 60km Optical Transceiver

H3C Compatible 40G QSFP+ ZR4 Lite CWDM4 Optical Transceiver Module (1271nm, 1291nm, 1311nm, 1331nm SMF 60km LC DDM) The 40G QSFP+ ZR4

H3C 40G QSFP+ QSFP-40G-ER4-SM1310 Transceiver Module

The QSFP+ module is designed for use in 40GBASE Ethernet throughput up to 40km over single mode fibre (SMF) using a wavelength of 1310nm via duplex LC connectors. This transceiver is compliant

H3C 100G-CFP2-ER4-40KM-WDM1300 CFP2 100GBASE-ER4

The 100G-CFP2-ER4-40KM-WDM1300 100GBASE-ER4 LC Duplex CFP2 compatible with H3C has a receiving function (receiver with CWDM) and a transmitting function (transmitter with CWDM) for the

H3C QSFP-40G-ER4-WDM1300 40Gb ER4 QSFP+ Module | FiberMall

The QSFP-40G-ER4 is a transceiver module designed for 40km optical communication applications. The design is compliant with 40GBASE-ER4 of the IEEE P802.3ba standard.

H3C QSFP-40G-ER4-SM1310 40GBASE-T ER4 QSFP+ 1310nm

The module converts 4 inputs channels (ch) of 10Gb/s electrical data to 4 CWDM optical signals, and multiplexes them into a single channel for 40Gb/s optical transmission.

QSFP-40G-LR4-WDM1300

Applications: 40GBASE-LR4 The H3C 40GBASE-LR4 QSFP + Optical Transceiver Module, SMF, 10km is guaranteed 100% Compatible and Functional in its

H3C C40 Compatible SFP+ 10G DWDM 1545.32nm 100GHz 100km

Home Optical Transceivers Optical Transmission 10G CWDM/DWDM SFP+ H3C C40 Compatible SFP+ 10G DWDM 1545.32nm 100GHz 100km DOM Duplex LC/UPC SMF Optical Transceiver Module for

40GBASE-LR4 QSFP+ 1310nm 10km DOM LC SMF Optical Transceiver Module

The QSFP-40GE-LR4 QSFP+ Optical Transceiver Module is designed for use in 40GBASE Ethernet throughput up to 10km over single mode fiber (SMF) using a wavelength of 1310nm via duplex LC

H3C QSFP-100G-ER4-SM1310 Compatible 100GBASE-ER4 QSFP28

The module is equipped with an EML laser and APD receiver, and reaches a transmission distance of 40km at a wavelength of 1310nm. With these features, this hot-swappable transceiver is suitable for

H3C QSFP-40G-LR4-WDM1300 SMF Optical Transceiver Module

H3C QSFP-40G-LR4-WDM1300 Compatible LINK-PP LQ-CW40-LR4C 40Gbps LR4 QSFP+ 1310nm 10km SMF Optical Transceiver Module DOM Duplex LC□40Gbps,1310nm,10km□ The QSFP+

How To Read Optical Module Information On H3C Switches

Optical modules are widely used in switches, network cards, routers, and other communication equipment. Reading optical module information during use helps understand its real-time operating

H3C QSFP-40G-LR4-PSM1310 Compatible 40GBASE-PSM4 QSFP

The H3C QSFP-40G-LR4-PSM1310 compatible 40G QSFP+ transceiver module is equipped with MTP/MPO connector, reaching a link up to 10km over single-mode fiber (SMF). This 40G optical

H3c Compatible 40g Qsfp+ Psm4 10km 1310nm Dfb/Pin MPO Connector Optical ...

H3c Compatible 40g Qsfp+ Psm4 10km 1310nm Dfb/Pin MPO Connector Optical Transceiver Module, 40g Psm4, Find Details and Price about Optical Transceiver SFP Transceiver from H3c Compatible

10GBASE-DW40 SFP+ C17~C61 40km SMF Module for H3C

NADDOD has a full range of professional testing equipments for testing various parameters of products to ensure high performance and quality of optical transmission stability.

H3C QSFP-40G-LR4-WDM1300 QSFP+ Transceiver

QSFP H3C Compatible QSFP-40G-LR4-WDM130 40GBASE-LR4 QSFP+ optical transceiver provides 40G links up to 10km over OS2 at 1310nm using LC Duplex

H3C QSFP-40G-LR4-PSM1310 Compatible 40Gbps QSFP

H3C QSFP-40G-LR4-PSM1310 compatible optical transceiver is a parallel 40Gbps Quad Small Form-factor Pluggable QSFP+ module for use in 40GBASE Ethernet network. QSFP+ PSM4 provides

H3C Compatible 100GBASE-4WDM-40 QSFP28

Designed for Outside Applications with an Industrial Temp. Range -40°C to 85°C. H3C Networks compatible 100GBASE-4WDM-40 QSFP28 transceiver supports

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.watermanfinance.co.za>

Email: sales@watermanfinance.co.za

Phone: +49-176-8294713

Address: Neue Mainzer Str. 66-68, 60311 Frankfurt am Main, Germany

This document is for informational purposes only. Specifications subject to change without notice.

